

Product Measurement Guide



www.quicktimeperformance.com




MUFFLER
LEGEND

■ STANDARD CASE
● SHORT CASE
▲ REVERSE

CONTENTS

PAGE	PART	DESCRIPTION	PAGE	PART	DESCRIPTION
1	10225	2.25" Cutout Pipe	16	13250	2.5" Screamer Muffler ■
2	10250	2.5" Cutout Pipe	17	13251	2.5" Screamer Muffler ▲
3	10300	3.0" Cutout Pipe	18	13252	2.5" Screamer Muffler ●
4	10338	Low Profile Cutout Pipe	19	13253	2.5" Screamer Muffler ● ▲
5	10350	3.5" Cutout Pipe	20	13300	3.0" Screamer Muffler ■
6	10400	4.0" Cutout Pipe	21	13301	3.0" Screamer Muffler ■ ▲
7	10500	5.0" Cutout Pipe	22	13302	3.0" Screamer Muffler ●
8	10900	Wireless Controller	23	13303	3.0" Screamer Muffler ● ▲
9	11250	2.5" Adjustable Turndown	24	QTEC5X	5.0" Electric Cutout Valve
10	11300	3.0" Adjustable Turndown	25	QTEC25	2.5" Electric Cutout Valve
11	11338	Low Profile Turndown	26	QTEC30	3.0" Electric Cutout Valve
12	12250	2.5" AR3 Muffler	27	QTEC33	Low Profile Cutout Valve
13	12300	3.0" AR3 Muffler	28	QTEC35	3.5" Electric Cutout Valve
14	12350	3.5" AR3 Muffler	29	QTEC40	4.0" Electric Cutout Valve
15	12400	4.0" AR3 Muffler	30	QTEC225	2.25" Electric Cutout Valve

DO NOT SCALE DRAWING
FOR REFERENCE ONLY



QTP QUICK TIME PERFORMANCE			
UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996 3RD ANGLE 		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994 ONE PLACE $\pm .030$ TWO PLACES $\pm .020$ THREE PLACES $\pm .010$ ANGULAR ± 1 FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS	
MATERIAL		THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT.	
FINISH		DRAWN BY MP	DATE 4/20/2020
COMMENTS		CHECKED BY	DATE
WEIGHT:		TITLE: 2.25" STAINLESS CUTOUT	
SHEET 1 OF 1		SIZE B	DWG. NO. 10225_PDS
SCALE: 1:2		REV	





PART 10225

Note: Also used with the following QTP Kits

- Stand Alone
- QTEC225CP
- QTEC45CP



DO NOT SCALE DRAWING
FOR REFERENCE ONLY




QTP QUICK TIME PERFORMANCE			
UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994 FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS	
3RD ANGLE 	UNITS: INCHES	ONE PLACE ± .030 TWO PLACES ± .020 THREE PLACES ± .010 ANGULAR ± 1	
MATERIAL		THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT.	
FINISH			
COMMENTS		DRAWN BY MP	DATE 4/20/2020
WEIGHT:		CHECKED BY DATE	
SHEET 1 OF 1		TITLE: 2.5" STAINLESS CUTOUT	
SCALE: 1:2		SIZE B	DWG. NO. 10250_PDS
		REV	

PART 10250

Note: Also used with the following QTP Kits

- Stand Alone
- QTEC25CP
- QTEC50CP

DO NOT SCALE DRAWING
FOR REFERENCE ONLY



UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994	
INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS	
3RD ANGLE	UNITS: INCHES	ONE PLACE ± .030 TWO PLACES ± .020 THREE PLACES ± .010 ANGULAR ± 1	
MATERIAL	THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT.		
FINISH			
COMMENTS	DRAWN BY MP	DATE 4/20/2020	CHECKED BY DATE
WEIGHT:	TITLE: 3.0" STAINLESS CUTOUT		
SHEET 1 OF 1	SCALE: 1:2	SIZE B	DWG. NO. 10300_PDS
			REV





Note: Also used with the following QTP Kits

- Stand Alone
- QTEC30CP
- QTEC60CP

PART 10300



DO NOT SCALE DRAWING
FOR REFERENCE ONLY







QTP QUICK TIME PERFORMANCE			
UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996 3RD ANGLE 		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994 FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS	
MATERIAL FINISH COMMENTS WEIGHT:		THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT. DRAWN BY: MP DATE: 4/20/2020 CHECKED BY: DATE: TITLE: OVAL CONNECTION TUBE SIZE: B DWG. NO.: 10338_PDS REV:	
SHEET 1 OF 1 SCALE: 1:1.5			

Note: Also used with the following QTP Kits

- Stand Alone
- QTEC33
- QTEC66

DO NOT SCALE DRAWING
FOR REFERENCE ONLY






QTP QUICK TIME PERFORMANCE			
UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994	
3RD ANGLE 	UNITS: INCHES	ONE PLACE $\pm .030$ TWO PLACES $\pm .020$ THREE PLACES $\pm .010$ ANGULAR ± 1	FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS
MATERIAL		THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT	
FINISH		DRAWN BY MP	DATE 4/20/2020
COMMENTS		CHECKED BY	DATE
WEIGHT:		TITLE: 3.5" STAINLESS CUTOUT	
SHEET 1 OF 1	SCALE: 1:2	SIZE B	DWG. NO. 10350_PDS
		REV	

Note: Also used with the following QTP Kits

- Stand Alone
- QTEC35CP
- QTEC70CP

PART 10350






QTP QUICK TIME PERFORMANCE			
UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994	
3RD ANGLE	UNITS: INCHES	ONE PLACE $\pm .030$ TWO PLACES $\pm .020$ THREE PLACES $\pm .010$ ANGULAR ± 1	FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS
MATERIAL		THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT	
FINISH		DRAWN BY MP	DATE 4/20/2020
COMMENTS		CHECKED BY	DATE
WEIGHT:		TITLE: 4.0" STAINLESS CUTOUT	
SHEET 1 OF 1	SCALE: 1:2.5	SIZE B	DWG. NO. 10400_PDS
		REV	

Note: Also used with the following QTP Kits

- Stand Alone
- QTEC40CP
- QTEC80CP

PART 10400

DO NOT SCALE DRAWING
FOR REFERENCE ONLY






QTP QUICK TIME PERFORMANCE			
UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994	
3RD ANGLE 	UNITS: INCHES	ONE PLACE $\pm .030$ TWO PLACES $\pm .020$ THREE PLACES $\pm .010$ ANGULAR ± 1	
MATERIAL		FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS	
FINISH		THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT	
COMMENTS		DRAWN BY MP	DATE 4/20/2020
WEIGHT:		CHECKED BY	DATE
SHEET 1 OF 1		TITLE: 5.0" STAINLESS CUTOUT	
SCALE: 1:3		SIZE B	DWG. NO. 10500_PDS
		REV	

Note: Also used with the following QTP Kits

- Stand Alone
- QTEC5XCP

PART 10500

DO NOT SCALE DRAWING
FOR REFERENCE ONLY



QTP QUICK TIME PERFORMANCE			
UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994	
3RD ANGLE 	UNITS: INCHES	ONE PLACE ± .030 TWO PLACES ± .020 THREE PLACES ± .010 ANGULAR ± 1	FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS
MATERIAL	THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT.		
FINISH	DRAWN BY MP	DATE 12/13/2019	CHECKED BY DATE
COMMENTS	TITLE: WIRELESS RECEIVER		
WEIGHT:	SIZE B	DWG. NO. 10900_PDS	REV
SHEET 1 OF 1	SCALE: 1.5:1		

DO NOT SCALE DRAWING
FOR REFERENCE ONLY

FLANGE ROTATES 360°

4.12

Ø 2.50

3.00

QTP
QUICK TIME PERFORMANCE

UNLESS OTHERWISE SPECIFIED:

INTERPRET WELDING SYMBOLS PER AWS A2.4:2007
INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996

INTERPRET DIMENSIONS & TOLERANCES
PER ASME Y14.5M-1994



UNITS:
INCHES

ONE PLACE ± .030
TWO PLACES ± .020
THREE PLACES ± .010
ANGULAR ± 1

FILLETS R.002/R.020
BREAK EDGES .002/.020 RADIUS OR CHAMFER
GENERAL FINISH 128 Ra MAX
REMOVE ALL BURRS

MATERIAL

THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE
PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF
THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING
ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT

FINISH

DRAWN BY
MP

DATE
4/20/2020

CHECKED BY

DATE

COMMENTS

TITLE:

2.5" UNIVERSAL TURN DOWN

WEIGHT:

SIZE

DWG. NO.

REV

SHEET
1 OF 1

SCALE:
1:1

B

11250_PDS

Note: Also used with the following QTP Kits

- All 2.25" & 2.5" QTEC Cutout Valves
- All 2.5" Screamer Mufflers

QTP
QUICK TIME PERFORMANCE

DO NOT SCALE DRAWING
FOR REFERENCE ONLY

FLANGE ROTATES 360°

4.91

Ø 3.00

3.38

QTP
QUICK TIME PERFORMANCE

UNLESS OTHERWISE SPECIFIED:

INTERPRET WELDING SYMBOLS PER AWS A2.4:2007
INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996

INTERPRET DIMENSIONS & TOLERANCES
PER ASME Y14.5M-1994



UNITS:
INCHES

ONE PLACE ± .030
TWO PLACES ± .020
THREE PLACES ± .010
ANGULAR ± 1

FILLETS R.002/R.020
BREAK EDGES .002/.020 RADIUS OR CHAMFER
GENERAL FINISH 128 Ra MAX
REMOVE ALL BURRS

MATERIAL

THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE
PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF
THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING
ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT

FINISH

DRAWN BY
MP

DATE
4/20/2020

CHECKED BY

DATE

COMMENTS

TITLE:

3.00 UNIVERSAL TURN DOWN

WEIGHT:

SIZE

DWG. NO.

REV

SHEET
1 OF 1

SCALE:
1:1

B



11300_PDS

Note: Also used with the following QTP Kits


- All 2.75" & 3" QTEC Cutout Valves
- All 3" Screamer Mufflers

QTP
QUICK TIME PERFORMANCE

DO NOT SCALE DRAWING
FOR REFERENCE ONLY



QTP
QUICK TIME PERFORMANCE

UNLESS OTHERWISE SPECIFIED:					
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994			
3RD ANGLE 	UNITS: INCHES	ONE PLACE ± .030 TWO PLACES ± .020 THREE PLACES ± .010 ANGULAR ± 1			
MATERIAL		THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT			
FINISH					
COMMENTS		DRAWN BY MP	DATE 4/20/2020	CHECKED BY	DATE
		TITLE: LOW PROFILE TURN DOWN			
WEIGHT:		SIZE DWG. NO. B 11338_PDS			
SHEET 1 OF 1					
SCALE: 1:1		REV			





Note: Also used with the following QTP Kits

- Stand Alone
- QTEC33
- QTEC66

PART 11338





QTP
QUICK TIME PERFORMANCE

DO NOT SCALE DRAWING
FOR REFERENCE ONLY







QTP QUICK TIME PERFORMANCE			
UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994	
3RD ANGLE 	UNITS: INCHES	ONE PLACE $\pm .030$ TWO PLACES $\pm .020$ THREE PLACES $\pm .010$ ANGULAR ± 1	FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS
MATERIAL 304 SS		THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT	
FINISH BRUSHED		DRAWN BY MP	DATE 4/21/2020
COMMENTS		CHECKED BY	DATE
WEIGHT:		TITLE: 2.5" AR3 MUFFLER	
SHEET 1 OF 1	SCALE: 1:3	SIZE B	DWG. NO. 12250_PDS
		REV	

DO NOT SCALE DRAWING
FOR REFERENCE ONLY







QTP QUICK TIME PERFORMANCE			
UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994	
3RD ANGLE 	UNITS: INCHES	ONE PLACE ± .030 TWO PLACES ± .020 THREE PLACES ± .010 ANGULAR ± 1	FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS
MATERIAL 304 SS		THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT	
FINISH BRUSHED	DRAWN BY MP	DATE 4/9/2014	CHECKED BY DATE
COMMENTS	TITLE: 3.0" AR3 MUFFLER		
WEIGHT:	SIZE B	DWG. NO. 12300_PDS	REV
SHEET 1 OF 1	SCALE: 1:3		

DO NOT SCALE DRAWING
FOR REFERENCE ONLY



UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994	
3RD ANGLE	UNITS: INCHES	ONE PLACE $\pm .030$ TWO PLACES $\pm .020$ THREE PLACES $\pm .010$ ANGULAR ± 1	FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS
MATERIAL 304 SS		THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT	
FINISH BRUSHED		DRAWN BY MP	DATE 4/9/2014
COMMENTS		CHECKED BY	DATE
WEIGHT:		TITLE: 3.5" AR3 MUFFLER	
SHEET 1 OF 1	SCALE: 1:3	SIZE B	DWG. NO. 12350_PDS
		REV	

DO NOT SCALE DRAWING
FOR REFERENCE ONLY







QUICK TIME PERFORMANCE


UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994	
3RD ANGLE	UNITS: INCHES	ONE PLACE ± .030 TWO PLACES ± .020 THREE PLACES ± .010 ANGULAR ± 1	FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS
MATERIAL 304 SS		THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT	
FINISH BRUSHED		DRAWN BY MP	DATE 4/9/2014
COMMENTS		CHECKED BY	DATE
WEIGHT:		TITLE: 4.0" AR3 MUFFLER	
SHEET 1 OF 1	SCALE: 1:3	SIZE B	DWG. NO. 12400_PDS
		REV	

DO NOT SCALE DRAWING
FOR REFERENCE ONLY



R6.68

POSSIBLE VALVE POSITIONS



QTP
QUICK TIME PERFORMANCE

UNLESS OTHERWISE SPECIFIED:

INTERPRET WELDING SYMBOLS PER AWS A2.4:2007
INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996
3RD ANGLE UNITS:

INTERPRET DIMENSIONS & TOLERANCES
PER ASME Y14.5M-1994
FILLETS R.002/R.020




● 2.50" Inch QTP Screamer Twintronic Muffler

PART 13250

QTP
QUICK TIME PERFORMANCE

Page 16

DO NOT SCALE DRAWING
FOR REFERENCE ONLY



QTP
QUICK TIME PERFORMANCE

UNLESS OTHERWISE SPECIFIED:

INTERPRET WELDING SYMBOLS PER AWS A2.4:2007
INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996
3RD ANGLE UNITS:


INTERPRET DIMENSIONS & TOLERANCES
PER ASME Y14.5M-1994
FILLETS R.002/R.020

● 2.50" Inch QTP Reverse Screamer Twintronic Muffler



PART 13251

QTP
QUICK TIME PERFORMANCE

Page 17



DO NOT SCALE DRAWING



QTP
QUICK TIME PERFORMANCE

UNLESS OTHERWISE SPECIFIED:

INTERPRET WELDING SYMBOLS PER AWS A2.4:2007
INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996
3RD ANGLE UNITS: INCHES




INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994
FILLETS R.002/R.020
BREAK EDGES 45°-90° UNLESS OTHERWISE SPECIFIED

● **2.50" Inch QTP Screamer Twintronic Muffler Short Case**

PART 13252

QTP
QUICK TIME PERFORMANCE

Page 18



QTP
QUICK TIME PERFORMANCE

UNLESS OTHERWISE SPECIFIED:

INTERPRET WELDING SYMBOLS PER AWS A2.4:2007
INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996
3RD ANGLE UNITS: INCHES

INTERPRET DIMENSIONS & TOLERANCES
PER ASME Y14.5M-1994
FILLETS R.002/R.020
BREAK EDGES 45°-60° UNLESS OTHERWISE SPECIFIED




● **2.50" Inch QTP Reverse Screamer Twintronic Muffler**
Short Case

PART 13253

QTP
QUICK TIME PERFORMANCE

Page 19

DO NOT SCALE DRAWING
FOR REFERENCE ONLY



QTP
QUICK TIME PERFORMANCE


UNLESS OTHERWISE SPECIFIED:
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007
INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996
3RD ANGLE UNITS: INCHES
INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994
FILLETS R.002/R.020

● 3.0" Inch QTP Screamer Twintronic Muffler

PART 13300

QTP
QUICK TIME PERFORMANCE

Page 20




PART 13301

● **3.0" Inch QTP Reverse Screamer Twintronic Muffler**

QTP
QUICK TIME PERFORMANCE

Page 21



QTP
QUICK TIME PERFORMANCE

UNLESS OTHERWISE SPECIFIED:

INTERPRET WELDING SYMBOLS PER AWS A2.4:2007
INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996

INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994

FILLET R.002/R.020
BREAK EDGES - 0.004/0.008 RADIUS OR CHAMFER


3RD ANGLE UNITS:

PART 13302

● **3.0" Inch QTP Screamer Twintronic Muffler Short Case**

QTP
QUICK TIME PERFORMANCE

Page 22



QTP
QUICK TIME PERFORMANCE

UNLESS OTHERWISE SPECIFIED:

INTERPRET WELDING SYMBOLS PER AWS A2.4:2007
INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996

INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994

FILLETS R.002/R.020
BREAK EDGES - 0.004/0.003 RADIUS OR CHAMFER

3RD ANGLE UNITS:





● 3.0" Inch QTP Screamer Twintronic Muffler

PART 13303

QTP
QUICK TIME PERFORMANCE





Page 23

DO NOT SCALE DRAWING
FOR REFERENCE ONLY






QTP QUICK TIME PERFORMANCE			
UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994	
3RD ANGLE 	UNITS: INCHES	ONE PLACE $\pm .030$ TWO PLACES $\pm .020$ THREE PLACES $\pm .010$ ANGULAR ± 1	FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS
MATERIAL	THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT		
FINISH	DRAWN BY MP	DATE 12/19/2019	CHECKED BY DATE
COMMENTS	TITLE: 5.0" ELECTRIC CUTOUT		
WEIGHT:	SIZE B	DWG. NO. QTEC5X_PDS	REV
SHEET 1 OF 1	SCALE: 1:2		

DO NOT SCALE DRAWING
FOR REFERENCE ONLY



QTP QUICK TIME PERFORMANCE			
UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996 3RD ANGLE 		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994 ONE PLACE ± .030 TWO PLACES ± .020 THREE PLACES ± .010 ANGULAR ± 1 FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS	
MATERIAL		THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT	
FINISH		DRAWN BY MP	DATE 4/20/2020
COMMENTS		CHECKED BY	DATE
WEIGHT:		TITLE: 2.5" ELECTRIC CUTOUT	
SHEET 1 OF 1	SCALE: 1:1.5	SIZE B	DWG. NO. QTEC25_PDS
		REV	

DO NOT SCALE DRAWING
FOR REFERENCE ONLY




QTP QUICK TIME PERFORMANCE			
UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994	
3RD ANGLE 	UNITS: INCHES	ONE PLACE ± .030 TWO PLACES ± .020 THREE PLACES ± .010 ANGULAR ± 1	FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS
MATERIAL	THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT		
FINISH	DRAWN BY MP	DATE 4/20/2020	CHECKED BY DATE
COMMENTS	TITLE: 3.00 IN ELECTRIC CUTOUT		
WEIGHT:	SIZE B	DWG. NO. QTEC30_PDS	REV
SHEET 1 OF 1	SCALE: 1:1.5		

Note: Also used with the following QTP Kits





- QTEC30
- QTEC60
- QTEC60DIY
- QTEC55DIY
- 3" Screamer Mufflers

DO NOT SCALE DRAWING
FOR REFERENCE ONLY



QTP QUICK TIME PERFORMANCE			
UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994	
3RD ANGLE 	UNITS: INCHES	ONE PLACE $\pm .030$ TWO PLACES $\pm .020$ THREE PLACES $\pm .010$ ANGULAR ± 1	FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS
MATERIAL		THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT.	
FINISH		DRAWN BY MP	DATE 4/20/2020
COMMENTS		CHECKED BY	DATE
WEIGHT:		TITLE: LOW PROFILE ELECTRIC CUTOUT	
SHEET 1 OF 1	SCALE: 1:1.5	SIZE B	DWG. NO. QTEC33_PDS
		REV	

DO NOT SCALE DRAWING
FOR REFERENCE ONLY








UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994 FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS	
3RD ANGLE	UNITS: INCHES	ONE PLACE ± .030 TWO PLACES ± .020 THREE PLACES ± .010 ANGULAR ± 1	
MATERIAL		THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT.	
FINISH			
COMMENTS			
WEIGHT:		TITLE: 3.5" ELECTRIC CUTOUT	
SHEET 1 OF 1	SCALE: 1:1.5	SIZE B DWG. NO. QTEC35_PDS	REV

Note: Also used with the following QTP Kits

- QTEC35 ● QTEC70CP
- QTEC70
- QTEC35CP

DO NOT SCALE DRAWING
FOR REFERENCE ONLY



QTP QUICK TIME PERFORMANCE			
UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994	
3RD ANGLE 	UNITS: INCHES	ONE PLACE ± .030 TWO PLACES ± .020 THREE PLACES ± .010 ANGULAR ± 1	FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS
MATERIAL		THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT.	
FINISH		DRAWN BY MP	DATE 4/20/2020
COMMENTS		CHECKED BY	DATE
WEIGHT:		TITLE: 4.0" ELECTRIC CUTOUT	
SHEET 1 OF 1	SCALE: 1:1.5	SIZE B	DWG. NO. QTEC40_PDS
		REV	





PART QTEC40

Note: Also used with the following QTP Kits

- QTEC40
- QTEC80
- QTEC40CP
- QTEC80CP



DO NOT SCALE DRAWING
FOR REFERENCE ONLY



UNLESS OTHERWISE SPECIFIED:			
INTERPRET WELDING SYMBOLS PER AWS A2.4:2007 INTERPRET SURFACE TEXTURE SYMBOLS PER ASME Y14.36-1996		INTERPRET DIMENSIONS & TOLERANCES PER ASME Y14.5M-1994	
3RD ANGLE	UNITS: INCHES	ONE PLACE ± .030 TWO PLACES ± .020 THREE PLACES ± .010 ANGULAR ± 1	FILLETS R.002/R.020 BREAK EDGES .002/.020 RADIUS OR CHAMFER GENERAL FINISH 128 Ra MAX REMOVE ALL BURRS
MATERIAL	THIS DRAWING AND THE CONTENTS HERIN ARE CONFIDENTIAL AND THE SOLE PROPERTY OF QUICK TIME PERFORMANCE. REPRODUCTION OF THIS DRAWING OR CONSTRUCTION OF ANY PARTS WITHIN THIS DRAWING ARE FORBIDDEN WITHOUT PRIOR WRITTEN CONSENT		
FINISH	DRAWN BY MP	DATE 4/20/2020	CHECKED BY DATE
COMMENTS	TITLE: 2.25" ELECTRIC CUTOUT		
WEIGHT:	SIZE B	DWG. NO. QTEC225_PDS	REV
SHEET 1 OF 1	SCALE: 1:1.5		

Note: Also used with the following QTP Kits

- QTEC225
- QTEC225CP
- QTEC45
- QTEC45CP
- QTEC45DIY